VG-LP1515Z
15pcs 15W Ourdoor Zoom LED Par Light

• This is a high power zoom par light, which has beautiful appearance, high power and linear zoom function.

This light is very wonderful for the stage, club, party, event, and other entertainment places.

Features

·High power 15pcs 15W;

·10-60degree linear dimmer function;

·Beautiful appearance, high quality.

·Control panel 4 digital tube display show, with sign information for the power and signal;

·High efficiency constant current drive, 4096 level gray adjustment, no flash, mixed variety colors can

reach to as many as 16 million;

·Uses high quality genuine transparency acrylic lens as the second optical;

·With high efficiency thermal automatic protection function;

·Super brightness and extreme projection distance;

·Innovative gray adjustment technology to make the dimmer and color change more smoothly.

DESIGNED, ENGINEERED AND ASSEMBLED IN CHINA BY VANGAA TECHNOLOGY

Technical Specification

Light Source

·LEDs: 15pcs 15W RGBW 4in1(R: 3W, G: 4W; B: 4W; W: 4W) LED Lamps

·Color: RGBW color mixing

·Service life: 50000h

Optical System

·Beam angle: 10-60°

Electromechanical Effects

·Dimmer: linear dimmer 0-100%

·Strobe: 1-25time/s

Control and Programming

·Control mode: DMX-512; Master/slave mode; Demo mode

·DMX channel: 11CH

Thermal Specification

·Maximum ambient temperature: 45 °C (113 °F)

·Maximum surface temperature: 170 °C (338 °F)

Electrical Specification

·Power supply: Electronic auto-ranging

·Input voltage range: AC90-240V, 50/60Hz

·Power consumption: 200W

Mechanical Specification

·Light size: 330mm(L)x340mm(W)x240mm(H)

·Weight: 7.53kg

·Material: aluminium die casting

Using Environment

·IP rating: IP67

·Working temperature: -25-60℃

·Cool system: Aluminum radiator

Standard Accessories Light

·1pc DMX cable

·1pc power cable

·1pc English version user manual

Optional Accessories Light

·Safety cable: choose the model which you need, chargeable

·Clamps: choose the model which you need, chargeable

·Flight case: choose the quantity which need pack, chargeable

Package

·Carton package size: 310*310*400m(1pcs/carton)

·N.W/G.W/V.W: 8kg/9kg/8kg

·Carton package size: 330*620*420mm(2pcs/carton)

·N.W/G.W/V.W: 16kg/18kg/17.5kg

Selling Maintain Spare Parts List

·Switching power supply: VG-LP1515Z-P

·LED lamp board: VG-LP1515Z-L

·Main board: VG-LP1515Z-M

·Drive board: VG-LP1515Z-D

Lux chart

Illuminance(lux) full	38500	18300	8300	5000	3100	2000

8m
4m
0m
4m
8m

10°

Distance(m) 0 1 2 3 4 5 6 7 8

Illuminance(lux) full	6800	3200	1500	900	600	400

8m
4m
0m
4m
8m

60°

Distance(m) 0 1 2 3 4 5 6 7 8

Effect

www.VanGaaLight.com